

that said upper and middle sidewall sections can be pivoted inwardly towards said bottom platform;

and wherein said top roof further comprises two roof sections pivotally attached to one another so that said two roof sections can collapse downwardly along said pivotable attachment toward said bottom platform;

said sidewalls containing an outer and inner surface thereof, and wherein said upper and middle sidewalls are pivotally attached by a continuous outer surface of said sidewalls.

2. (Amended) The structure of claim 1 wherein said top roof, bottom platform, vertically disposed side section, pair of sidewalls and said front and rear walls are made from a thermally insulating polymeric material, polymeric foam material, expanded polystyrene foam, polyurethane foam, or structural foam material.

3. (Amended) The structure of claim 1 wherein said sidewalls pivotally attached to said roof, are pivotally attached substantially along a length of said sidewalls, and said pivotal attachment comprises a living hinge.

4. (Amended) The structure of claim 1 wherein said upper and middle sections pivotally attached to one another, are pivotally attached substantially along a length of said sidewalls, and said pivotal attachment comprises a living hinge.

5. (Amended) The structure of claim 1 wherein said middle and lower sections that are pivotally attached to one another are pivotally attached substantially along a length of said sidewalls, and said pivotal attachment comprises a living hinge.

6. (Amended) A collapsible/foldable structure comprising:

Cont
A1

206970-2407650

Cont
A1

a top roof and a bottom platform defining a top and bottom of said structure including a vertically disposed lower side section on said bottom platform;

front and rear walls, said front wall having an opening for egress and ingress of an animal;

a pair of sidewalls each pivotally attached to said roof to facilitate inward collapse of said sidewalls when said sidewalls are pivoted toward said bottom platform, said sidewalls defined by an upper and middle section including said lower vertically disposed side section, wherein said upper and middle sections are pivotally attached to one another and said middle and lower sections are pivotally attached to one another so that said upper and middle sidewall sections can be pivoted inwardly towards said bottom platform;

wherein at least one of said pivotal attachments of said sidewalls is a living hinge substantially along the length of said sidewall.

7. (Amended) The structure of claim 6 wherein said front and rear walls are pivotally attached to said vertically disposed side section.

8. (Amended) A collapsible/foldable structure comprising:

a substantially planar top roof and a bottom platform defining a top and a bottom of said structure;

a pair of sidewalls each pivotally attached to said roof to facilitate inward collapse of said sidewalls when said sidewalls are pivoted toward said bottom platform, said sidewalls further containing an upper and lower section, wherein said upper and lower sections are pivotally attached to one another so that said upper and lower

sections can be pivoted inwardly towards said bottom platform, wherein at least one of said pivotal attachments is a living hinge substantially along the length of the sidewall.

9. (Amended) A foldable/collapsible structure for storing perishable goods comprising:

a horizontally disposed bottom panel and a vertically disposed side section, a top panel, a pair of side panels defined by upper and middle side sections including said vertically disposed side section;

first and second end panels;

said first end panel and second end panel hingedly attached to said vertically disposed side section to provide for pivotal collapse of said first and second end panel;

wherein said upper side section is hingedly connected to said top panel and said middle side section, said middle section is hingedly connected to said vertically disposed side section, wherein said side panels can be pivoted inwardly towards said bottom panel.

10. (Amended) The foldable/collapsible structure of claim 9 wherein at least one of said pivotal attachments of said side panels is a waterproof living hinge substantially along the length of said side panel.

11. (Amended) A collapsible/foldable structure comprising:

a top roof and a bottom platform defining a top and bottom of said structure, including a vertically disposed lower side section on said bottom platform;

front and rear collapsible walls each movably attached to said vertically disposed side section to provide for movement of said front and rear walls;

Cont
A1

said front wall having an opening for egress and ingress of an animal;

a pair of sidewalls each pivotally attached to said roof to facilitate inward collapse of said sidewalls when said sidewalls are pivoted toward said bottom platform, said sidewalls further containing upper and middle section, wherein said upper and middle sections are pivotally attached to one another so that said upper and middle sidewall sections can be pivoted inwardly towards said bottom platform;

and wherein said top roof further comprises a roof section pivotally attached to the upper sidewall sections, so that said roof section can collapse downwardly along said pivotable attachment toward said bottom platform;

said sidewalls having an outer and an inner surface thereof, and the middle wall section being pivotally attached to the vertically disposed lower side section along an inner edge of the middle wall section to permit folding of said middle sidewall inwardly toward said base, the upper wall section being pivotally attached to said middle wall section at the outer edge thereof to permit said upper wall section to collapse into contact with the outer surface of said lower wall section, and said roof section being pivotally connected to said two upper sidewall sections along the inner edges thereof to permit said top to be collapsed into contact with the inner surface of said upper wall sections.

Please add new claims 12-15 as follows:

--12. A collapsible/foldable structure comprising:

a top roof and a bottom platform defining a top and bottom of said structure;

A2